




Stainless Steel Tubing & Hangers



Stainless Steel Flow Control Equipment for the
Food, Beverage, Dairy, Cosmetics, Biotechnology,
Pharmaceutical and Electronics Processing Industries

www.toplineonline.com

Stainless Steel Tubing & Hangers

Top Line maintains a large inventory of welded stainless steel tubing to meet your immediate needs. Our warehouse is able to quickly ship tubing in lengths up to 20 feet. Each tubing order is processed promptly and packaged in tri-wall corrugated cartons equipped with wooded ends to protect each piece from damage.

Applications which require only the finest in tubing, with close adherence to tolerances, readily prefer tubing from Top Line. We pride ourselves on providing the finest tubing at a competitive price. Tubing types 304/304L and 316/316L are available in sizes from 1/2" OD to 12" OD – produced to ASTM specifications A249, A269, A270 or A778. Other diameters, specifications and lengths are available on special order. Finishes available range from Bright Annealed (mill) to 240 grit mechanical ID and OD and meet all USDA and 3A sanitary standards. Pharmaceutical - Grade Tubing is also available from Top Line. See brochure titled "Pharmaceutical Tubing" for details.


Stainless Steel Tubing Specifications

SIZE				STOCK NO.	
(TUBE O.D.)	GAUGE	WALL	LBS/FT	304	316
1/2	16	.065	.3020	*N.S.	3105656
3/4	16	.065	.4755	*N.S.	3107656
1	18	.049	.4980	*N.S.	*N.S.
1	16	.065	.6490	3110654	3110656
1-1/2	18	.049	.7593	*N.S.	*N.S.
1-1/2	16	.065	.9962	3115654	3115656
2	18	.049	1.0210	*N.S.	*N.S.
2	16	.065	1.3430	3120654	3120656
2-1/2	16	.065	1.6900	3125654	3125656
3	16	.065	2.0370	3130654	3130656
4	14	.083	3.4720	3140834	3140836
6	12	.109	6.9000	3160194	3160196
8	12	.109	9.3000	3180194	3180196

* N.S. - Non-stocked item


Top Line hangers install easily and provide secure mounting for a wide variety of tubing sizes.






B24W Tubing Hanger

SIZE(TUBE O.D.)	A	B	STOCK NO.
1/2	2-1/8	3-13/16	32D-05
3/4	2-1/8	3-13/16	32D-07
1	2-1/8	3-15/16	32D-10
1-1/2	2-3/8	5	32D-15
2	2-1/2	5	32D-20
2-1/2	3-7/8	6-1/2	32D-25
3	3-15/16	6-1/2	32D-30
4	4-3/4	8-1/8	32D-40
6	6-3/4	9	32D-60




C24T Tubing Hanger
(w/ 3/8" - 18NPT thread)

SIZE(TUBE O.D.)	A	B	C	STOCK NO.
1/2	2-1/8	3-13/16	13/16	32C-05
3/4	2-1/8	3-13/16	13/16	32C-07
1	2-1/8	3-15/16	13/16	32C-10
1-1/2	2-3/8	5	13/16	32C-15
2	2-1/2	5	13/16	32C-20
2-1/2	3-7/8	6-1/2	13/16	32C-25
3	3-15/16	6-1/2	13/16	32C-30
4	4-3/4	8-1/8	13/16	32C-40
6	6-3/4	9	25/32	32C-60



A24FCF Tubing Hanger
(w/ 3/8" - 18NPT thread)

SIZE (TUBE O.D.)	A	STOCK NO.
1	4-1/8	32A2410
1-1/2	4-1/8	32A2415
2	4-1/8	32A2420
2-1/2	5	32A2425
3	5	32A2430
4	5-1/2	32A2440



B24W Tubing Hanger
with Polypro insert

SIZE				
SIZE (TUBE O.D.)	A	B	STOCK NO.	
1/2	1-1/16	2-3/8	32D-05PP	
3/4	1-3/16	2-5/8	32D-07PP	
1	1-9/16	2-11/16	32D-10PP	
1-1/2	2-1/8	3-5/8	32D-15PP	
2	2-5/8	4-5/16	32D-20PP	
2-1/2	3-1/8	4-7/8	32D-25PP	
3	3-5/8	5-3/8	32D-30PP	
4	4-5/8	6-5/8	32D-40PP	
6	6-5/8	9-1/4	32D-60PP	

TOP LINE

PROCESS EQUIPMENT COMPANY

... the source for
all your product needs
in the process industries

Contact your Top Line Representative for Assistance

Office: P.O. Box 264 · Bradford, PA 16701

Plant: 21 Valley Hunt Drive · Lewis Run, PA 16738

800-458-6095

814-362-4626

Fax: 814-362-4453

PUMPS & STRAINERS - Centrifugal, Rotary Lobe, Filters and Strainers



VALVES - Manual, Actuated, Diaphragm



FITTINGS - Clamp, Sanitary Butt Weld, Bevel Seat, Tube OD Butt weld, Custom, Biopharm



TUBING, GAUGES, SIGHT GLASSES, BRAIDED HOSE



www.toplineonline.com